

Spencer
An Essay
on
Cobaltum

Respectfully Submitted to
The Faculty of
The Homeopathic Medical College.

of Pennsylvania.

on the
Thirty first day of January

One thousand eight hundred & fifty three.

by
George E. C. Sparhawk.
of Vermont.

Proving of Cabalium SP 20/20

By G. E. C. Spackhawk MD Br S.C.

Put Contents of 2^o page here

Temperaments of the Prover

First prover, Nervous.

Second prover, Neuro-lymphatic.

Third prover, Nervous-ossious-sanguine.

Preparation of Cobaltum.

This article is one of the new combinations of Cobaltum with Ammoniak - called the Roso-Cobaltiak discovered by Dr. Gutz of Philadelphia.

It is prepared for Homeopathic use from the Chloride of the Roso-Cobaltiak - reduced by hydrogen - then submitted to a white heat to drive off the ammonia after which the Cobaltum is precipitated perfectly pure. It is then prepared by trituration according to the Hahnemannian method.

History of the provings of Cobaltum.

First proving and first prover. L. E. C. S.

Nov. 4. 1852. 10 P.M. Took 1 gr of 1 trituration.

Nov. 5. 7 A.M. 1 gr.

Between 4 & 5 P.M. a general chilliness with yawning - dulness and weakness with aversion to mental exercise - had to lie down.

Nov. 6. 7 A.M. 1 gr.

Soon after dinner hiccups set in and continued without cessation till 6 P.M. After supper again renewed. Great vivacity and rapid flow of thought. 10 P.M. 1 gr.

At 11 P.M. another attack of hiccups with shooting pain in the forehead till midnight. Soreness in pit of stomach caused by the constant hiccups.

Nov. 7. Aching pain in the small of the back felt most when sitting. Tired feeling in the legs. Uncomfortable feeling in the throat with pain on empty swallowing and gasping. Stool twice per day (before only once). Hiccups after dinner.

Nov. 8. Dull headache especially in the forehead with a feeling in the stomach as if undigested food were in it. Coughing and spitting of much thick white mucus. Darting pain in the eyes on coming to out door light from a room - (at 2 1/2 P.M. - bright sunshine). After dinner severe pain in the small of the back, with aching pain in the knees, and below. Stool same as yesterday. Passed much smaller quantity of urine but often - every two hours - had to rise in the night to urinate - urine more yellow.

Second proving, G. C. C. S.

Nov. 11. 9 A.M. 1 gr. 2^d trituration.

At 1 P.M. nausea at the stomach with pain in the forehead. Not much desire for food, - ate lightly at dinner. At 2 P.M. a feeling as if diarrhoea would come on, with rumbling in the bowels. 3 P.M. large stool, soft, thin (diarrhoeic) with much tenesmus and severe colicky pain in the lower part of the abdomen during stool as if the bowels would protrude - and aching pain in the sphincter ani. Tenesmus after stool. Feeling as if the head grew large during stool.

with dizziness and weakness - belching of wind. Pain in the sphincter and head continued for an hour after stool. Pain in the eyes during the day and evening. Fine dartings in the eyes when writing, with feeling when opening the lids as if little strings were holding them together and were snapping. Restlessness and go to sleep late. Sleepless with loud ~~snoring~~ when sleeping (unusual). Awake at 4 A.M. Nov. 12. with pollution. Nov. 12. Throat filled with mucus in the morning. Pungent flat taste in the morning. Frequent passing of small quantities of light colored urine. Shooting pain in the eyes on coming to the light from a room. Trembling of the limbs, especially the legs - aching when sitting. 11 P.M. small dry, hard, lumpy stool. Pain in the top of the head when rising from a seat, with prickling pain in the stomach. More disposition to study.

Third proving. L. C. C. S.

Nov. 14. 3 P.M. 1 powder of 30 potency.

Soon after slight headache in a room - going off in open air. Profuse lachrymation in the open air with water from the nose.

6

Great weariness of the limbs from walking. Frequent urination. Pain in the hollow tooth (first molar of the lower jaw left side) with swelling of the gum and great tenderness around it - worse from inhaling cold air - feels as if it would ulcerate. Nov. 15. Headache all the forenoon. Pain in the stomach after eating, especially after dinner; with pain in the abdomen worse by pressure, and feeling of great uneasiness - had to move about as if could not keep still. Stool at 4 P.M. small hard having had none for two days. No appetite for supper. Desire for study. Pain in the small of the back when sitting - going off when rising and walking, or lying down. Aching of the bones. Intense itching of the left side of the nose internally in the evening. Number of painless pimples on the nose. Great itching of the hairy scalp and in the beard under the chin, with burning when scratching. Frequent desire to swallow with accumulation of water in the mouth.

10 P.M. 1 powder 30. In half an hour prickling in the roof of the mouth as from a pin. In an hour pain in the forehead, with pain in the back part of the eyes.

Heat rising in the throat as if from the stomach. Pain in the same hollow tooth. Aching of the knees with itching of the skin on the external side. Rising of sour water from the stomach. Gulping up of sour, bitter, water. Much itching all over when getting warm in bed. Pimples on the shoulders pit of the stomach, and buttocks, which bleed easily, when scratched. About one o'clock at night falls into a light sleep, with tossing about. Jerks in the limbs when falling asleep. Frequent waking with fright - could not tell for what. Lewd dreams. Awake at 6 A.M. with lewd dreams and pollution, with pain in the end of the urethra.

Nov. 16. Severe pain in the forehead soon after rising. Flat taste in the mouth and rising of sour water, which has an acrid feeling in the throat. Water accumulates in the mouth with frequent swallowing. Pain in the back on sitting down after rising. Headache all the forenoon. Incessant yawning. Paroxysms of pain in the hollow tooth. Severe pain in the stomach as if from hunger, before dinner which continues till dinner and is partially relieved by eating. One hour after eating, pain in the umbilical region, worse from

contracting the walls of the abdomen. Severe smarting pain in the eyes when writing, with almost loss of vision. "Smarting pain on the inner side of the upper lids." Severe cutting colic before stool. Pressure towards the anus increasing till stool. Soft diarrhoeic stool with tenesmus and colic. Burning in the rectum during stool and continuing long afterwards. Burning in the urethra during micturition. Urinates often and in small quantities.

11. P.M. 1. powder 35. In an hour pain came on in the stomach. Burning in the eyes, especially the upper lids.

Nov. 17. On rising in the morning, throat feels dry and sore on swallowing - feeling as if something dry had collected in it. Flat mucous taste in the mouth. Tongue coated white, with cracks across the middle. Pain in the forehead after rising. Pain and soreness of the hollow tooth - feels as if too long for a while, and then goes off again. Pain and smarting in the upper eyelids as soon as he looks at anything steadily. Smarting in the end of the urethra during micturition, lasting but a short time after. Urine deep red, with flocculent red sediment after standing. Pain in the

head, worse when bending forward, especially the occiput. Pain in the stomach came on one hour after rising with headache. Pain between the shoulders, in the lumbar region and small of the back. "Hose feels dry and filled up with dry scales ~~and~~ itching especially of the left nostril. Lachrymation and pain in the eyes when in the cold air. Weakness of the knees after a little exercise. Pain in the head, especially the occiput at the middle of the day. Urine scanty and light colored. At 6 P.M. severe pain in the small of the back with pain in the head."

[10 P.M. 1 powder 30. In an hour rising of bitter water with pain in the stomach, and afterwards dryness of the throat. Accumulation of water with frequent swallowing. Pains in the back and eyes return. Severe dreams and emissions. Dreams of having the back part of the hair cut."

Nov. 18. On rising, pain in the head and small of the back. Flat taste - tongue coated white. "Hose feels as if obstructed with congea. Pain in the stomach, with colic in the abdomen and a sensation as if diarrhoea would come on. Much yawning all day. Headache in the occiput. Stinging pain in the

roof of the mouth, extending thro' to the left ear. Sensation as if something sticks in the throat causing him to hawk which makes it feel sore. Sweet taste of mucus, with expectoration of thick, white, frothy mucus, with lumps in it. Itching of the left side of the nose at the angle - it burns on being scratched. Pimples on the nates. Great itching of the hairy scalp at night. At 10 P.M. stool small and hard, with sensation of scratching in the rectum. Much itching on the shoulder - pimples bleed when scratched.

Nov. 19. Very thick white mucus on the tongue with flat mucous taste. Pain in the forehead, with sense of fulness at the stomach as if filled with air. Smarting of the eyelids as soon as he begins to use them. Successant yawning. Dull aching pain in the head from 1 till 8 P.M. increasing till then - mostly in the forehead. Pain in the eyes when coming to the light. Smarting pain in the left corner of the left eye as from hot water - with severe pain in the top of the head. Rising of bitter water in the mouth an hour after dinner. Rising of hot bitter water in the afternoon. Much saliva accumulates. Sensation of fulness and hardness in

11
in the stomach as if filled with wind. Sediment of yellow
red flocks in the urine which are in little clots after two hours
standing

Nov. 22. Stool at 9 A.M. natural but small in quantity. Slight
headache in the afternoon. Pain in the stomach soon after dinner.
Headache, slight continued for two days in the morning till 10
o'clock and then again in the afternoon.

Nov. 23. In the evening after supper, sour stomach, headache as
if it would burst - had to lie down. 11 P.M. increases in severity.
An hour after watery diarrhoea with tenesmus. Sour taste with
nausea remained till sleep. (5)

Nov. 24. Awake at 5 A.M. with colic - then watery stool with
tenesmus. Headache in the morning with beating and sore aching
all over. Aching of the knees and lower extremities. Backache
worse all the morning. When stepping sensation as if the brain went
up and down. Backache as if he could not straighten him-
self. Every jar the top of the head feels as if it would come off.

Nov. 25. Morning at 4 o'clock. colic pain - better after a watery
stool - having had no passage for two days.

12
Fourth proving. G. C. C. S.

Dec. 1. 10 P.M. 1 powder 50. In an hour severe colic in the lower part of the abdomen. Went to sleep and slept well.

Dec. 2. Headache in the occiput in the morning worse in the open air, continuing till 3 P.M. Severe pain in the small of the back worse when sitting.

Dec. 3. Aching pain in the left ear. Pain in the small of the back - worse when sitting - better when lying down. Increased desire for study. Stools at 9 A.M. & 9 P.M. former small and hard, the latter small, soft, painless. 11 P.M. 1 powder 50.

Dec. 4. Sleep unrefreshing. Headache in the morning when rising. Bad mucous taste in mouth. Throat filled with white mucus. Tongue white. During the morning pain in the left temple, with feeling of languor and nausea at the stomach with constant desire for stool and feeling as if diarrhoea would set in but did not. Restlessness of body especially the limbs and feeling of goneness in the abdomen at the umbilicus. Aching pain in the left ear. (Like slight humming) Putrid sickish smell before the nose. Constant excretion of water in the mouth and swallowing. Scanty urine which after standing has a greasy pellicle on it. Pain as from fulness in the abdomen, soon

after light dinner. " Pressing in the rectum. " Stool at 4 P.M. small with tenesmus. " Pain in the abdomen in the evening and at night. " No appetite for supper - (at noon). "

Dec. 5. 12 1/2 A.M. 1 powder 50. Sleep disturbed. " Emissions without exerting. " Sordid dreams. " Throat dry and sore, feeling as if raw. " Tongue covered with a thick white coat. " Headache in the occiput coming on at noon. " Urine frequent and scanty - flocculent sediment and strong pungent smell. " Stool scanty and hard at 3 P.M. " No appetite for supper. " At 10 P.M. severe pain in small of the back partially relieved by lying down, not by standing. " Aching pain in the eye when writing. " Aching of the left side of the nose. " 10 1/2 P.M. 1 powder 50. " In an hour severe pain in the temples. " Pain in the back worse. " Pain in hollow tooth which feels too long - sensitive to the touch. " Frequent sighing. " Peeling of the lips and corners which bleed easily. "

Dec. 6. " Awake at 6 1/2 A.M. with feeling wide awake (earlier than usual). " Chilly from 11 to 12. " Headache at 12. with nausea and languor. " Fever and sweat from 12 to 2. " Drawing pain in the left submaxillary gland. " Excessive weakness of the knees as if would not support me. " No appetite. " Urine scanty and gray. "

pellicle on it. "Frequent yawning." Stool at $4\frac{1}{2}$ P.M. soft, with stinging pain during and after for some time. "Pain and soreness of the hollow tooth - feels too long." Pain in the abdomen low down in the evening. Aching in both legs half way between the thighs and knees on the front side (in muscles). Pressure in the stomach as if from wind. "Loud rumbling in the bowels."

Dec 7. Sleep with many dreams. Dry throat when rising. Great exhilaration of spirits during the day. Much rising of wind from the stomach. "Smarting pain in the eyelids in the evening." Pimples on the back of the left ear near the top. Sore pimples in the edge of the hair on the back of the head - very sore like a boil. Stool small and hard."

Dec. 8. Soreness of the throat when yawning as if raw. Pain in the forehead worse from stooping. Pain in the stomach after a meal. Copious expectoration of frothy white mucus with lumps in it about 9 A.M. Feeling in left side about the spleen as if it would drop down when walking worse - disappears when sitting still. Much yawning. Pain in the stomach and abdomen. "Weakness of the knees after exercise." Stool at $4\frac{3}{4}$ P.M. with cutting pain in the abdomen before stool and pressing in the rectum. "Rumbling

13
in the bowels. Colic during stool. Aching beating pain in the left ear in the evening.

Dec 9. Emissions with partial erections during sleep. Sleep disturbed by dreams. Awake with feeling of wide awake. Pain in the occiput in the morning. Profuse expectoration in the morning of white mucus with little bubbles of air in it worse in the open air. Great vivacity. Sore raw feeling in the throat when hawking. Position in sleep - Bends his head down on the left arm and sleeps on left side while ordinarily on the right side. Sanguor in the evening with aching of the knees. Trembling of the limbs. Small hard stool. Scanty urine.

Dec. 10. Difficulty in going to sleep. Sleep disturbed by loud dreams and frequent, ⁽³⁾ copious emissions with partial erections. Sore on the left side of the mouth opposite the stomach tooth. Pain in the left groin and small of the back. Aching pain in the left ear in the evening. Smarting of the eyelids. Pain in the forehead.

Dec. 11. Coughing with soreness of the throat and rawness when hawking. Greasy pellicle on the urine. Humming in the left ear.

Dec 12. Soreness of the throat when hawking. Greasy pellicle on urine.

Dec. 13. Sleep disturbed by lewd dreams. Emissions without erections. Sore throat in the morning when hawking. Eyes smart in the light. Greasy pellicle on the urine with yellow flocculent sediment. Pain in the stomach after a light meal. Aching pain in the left ear.

Dec. 14. Sleep disturbed by dreams. Emissions without erections. Pain in the throat when hawking. Expectoration of mucus in the morning worse in the open air. Yellow brown spots on the lower part of the abdomen about the genitals.

Dec. 17. Severe pain in the small of the back in the evening.

Philno

Second prover. S. J.

Nov. 4. 1 gr. 1 bit. at 10 PM.

Nov. 5. " " " 7 AM. In three hours severe pain in the right testis, continuing a few moments - better after passing urine. Dull headache from waking in the morning all day - worse in a room. Occasional deep stitches in the lower part of the chest, mostly on the left side, on taking a deep inspiration. Feeling as if a cold in the head. Pain in the head. Thin discharge from the nose and occasional sneezing.

Nov. 5. 10 PM. & Nov. 6. 7 AM. 1 gr.

Symptoms of a cold continue. The eyes which were previously weak, and the lids red and tender, are much aggravated with a sensation as if sand was under the lid. A good deal of burning in the lids and some pain in the ball. Worse in the open air. Lids smooth forming scales on the upper lid. Eyes dry. An indefinite pain on either side of the dorsal spines similar to that felt in the chest when tis said "the food has lodged". Coughing and spitting of mucus in the morning, first of lumps and then thinner. Condemned man feeling, as tho' guilty of some bad deed of which others knew, - as if he could

not look any one in the face. Sleep much disturbed by
dreams - not vivid or remembered - but making the sleep
unrefreshing - causing headache which lasted all day. Weak
weary feeling in the whole body especially the limbs.

Nov. 6. 10 P.M. & Nov. 7. A.M. 9 a.m.

Sleep disturbed by dreams. Headache on waking and during
the day. Hawking of lumpy mucus in the morning.
Condensed feeling at times during the day. Pain in the eyes
as before. Weakness and weariness of the limbs.

Nov. 8. Pains in the eyes continue. A small boil comes
out on the right forearm - on which three weeks previous
there had been scabs.

Nov. 9. Pains in the eyes continue. Sensation as if something
was under the upper lid obliging him to rub it. Urinates
often and of smaller quantity. Appetite somewhat diminished.

Third proving - first proving. A. S.

Nov. 4. 5 P.M. 2 gr. 1. trit. in 2 oz of water.

In the evening at 10 o'clock while walking home, urgent desire for stool, with slight cutting in the abdomen. - desire worse when standing still. A profuse stool, watery, spouting, in an hour another stool.

Nov. 5. After drinking more coffee (earlier than usual) all the forenoon, constant desire to urinate every 20 minutes with discharge of much pale urine. Continues for five days always worse in the forenoon.

Nov. 10. Stool has now become more natural, and becomes in a few days quite hard and natural, which has not been the case for three years. During all that time a strange but not unpleasant sensation in the bowels as after diarrhoea.

Second proving.

Nov. 19. 2. gr. 2 trit.

Much more inclination to study. Wakefulness - can do with less sleep. In 10 days a boil begins on right side of the chin and suppurates.

19
Cobaltum.

General Symptoms.

1. Aching in the bones.

Sanguor in the evening with aching of the knees.

Weakness of body especially the limbs, and feeling of goneness in the abdomen at the umbilicus. Comp. 186. 134.

Weak weary feeling in the whole body especially the limbs.

2. Trembling of the limbs.

Skin.

Much itching all over when getting warm in bed. (30th L.E.C.S.)

Pimples on the shoulders, pit of the stomach and buttocks which bleed easily when scratched. (30th L.E.C.S.)

Much itching of the shoulders. (30th L.E.C.S.)

Large boil on the right side of the chin which suppurates. (10th day - 2^d - L.E.C.S.)

Sleep.

10. Restlessness and go to sleep late. (1st day. 2^d L.E.C.S.)

Slight sleep, with tossing about. (Soon after 30th L.E.C.S.)

Sleep unrefreshing, disturbed by dreams. Comp. 164.

Sleep with many dreams.

Sleepless with few dreams when sleeping. Comp. 165

15. Jerks in the limbs when falling asleep. (30th L. E. & S.).

Dreaming of having the back part of the hair cut. (Same night 30th L. E. & S.)

Sweet dreams. Comp. 162.

Sleep much disturbed by dreams - not vivid or remembered, but making the sleep unrefreshing and causing headache which lasted all day. (1st S. J.)

Frequent waking with fright - could not tell for what. (30th L. E. & S.).

20. Awoke earlier than usual with feeling wide awake. (30th L. E. & S.)

Wakefulness - can do with less sleep. (2^d A. S.)

Position during sleep. Bends his head down on the left arm and sleeps on the left side, while ordinarily he sleeps on the right. (30th L. E. & S.)

Incessant yawning. (30th L. E. & S.).

Fever.

Between 4 & 5 P.M. a general chilliness with yawning - feeling of dulness and weakness with aversion to mental exercise - had to lie down. (2^d day - 1. L. E. & S.)

30. Chilly from 11. to 12 A.M. - from 12 to 2 P.M. rather hot - languor

craves and sweat with headache, and drawing pain in the left submaxillary gland. (Took dose of 50th 10 P.M. evening previous. G.C.C.S.)

Mental.

Great voracity and rapid flow of thoughts. (1st day. 1st G.C.C.S.).

Great exhilaration of spirits during the day. (50th G.C.C.S.).

Increased disposition to study. (3rd A.S. 2. 30th & 50th G.C.C.S.).

Condemned, mean feeling as tho' guilty of some bad deed of which others knew; as if he could not look any one in the face. (After the fourth dose, 6 A.M. same day. 1st S.f.).

Head & Scalp.

30. Slight headache in a room - going off in the open air. (Even 30th G.C.C.S.).

Dull headache from waking in the morning all day - worse in a room. (1st day. 1st S.f.).

Dull headache especially in the forehead with a feeling in the stomach as if undigested food were in it. (2nd day. 1st G.C.C.S.).

Pain in the forehead with pain in the back part of the eyes. (1 hour after 30th G.C.C.S.).

Severe pain in the forehead soon after rising (in morning) - (Having taken evening before 30th G.C.C.S.).

35. Pain in the forehead, with sense of fulness at the stomach

as if filled with air. (Evening previous dose 30th L.C.C.S.)

Pain in the top of the head when rising from a seat with prickling pain in the stomach. (2^d day. 2^d. L.C.C.S.)

Pain in the forehead worse from stooping. (3^d day. 50th L.C.C.S.)

Severe pain in the temples. (1 hour. 50th L.C.C.S.)

During the morning pain in the left temple, with feeling of languor and nausea at the stomach, with constant desire for stool, and feeling as if diarrhoea would set in, but did not. (3^d day. 50th L.C.C.S.)

41. Pain in the head worse when bending forward especially in the occiput. (1st day - 30th L.C.C.S.)

Pain in the head especially the occiput at the middle of the day. (Dose evening previous of 30th L.C.C.S.) (Same from 50th)

Pain in the head with severe pain in the small of the back at 6 P.M. (1 day. 30th L.C.C.S.)

Headache in the occiput ^{in the morning} worse in the open air - lasting till 3 P.M. (Evening previous 50th L.C.C.S.)

Headache in the morning with beating and sore aching all over, especially in the knees and lower extremities. (6th day. 30th L.C.C.S.)

45. Headache all the forenoon. (Evening previous 30th L.C.C.S.)

Headache morning and afternoon for 2 days. continuing in the noon-

ing till 10 o'clock. (3rd day. 30th G.C.C.S.)

When stepping sensation as if the brain went up and down - (in evening) (6th day. 30th G.C.C.S.)

At every jar feels as if the top of the head would come off (at 11 PM) (6th day. 30th G.C.C.S.)

Feeling as of a cold in the head with some pain, and thin discharge from the nose and occasional sneezing. (2nd day. 1. S.f.)

50 Great itching of the hairy scalp with burning when scratching and in the brows under the chin (in evening) (1 day. 30th G.C.C.S.)

Small pimples in the edge of the hair on the back of the head - very sore like a boil. (2nd day. 50th G.C.C.S.)

Eyes.

Aggravation of the previously weak eyes with a sensation as if sand were under the lid. (2nd day. 1. S.f.)

Skin smooth forming scales on the upper lid. (2nd day. 1. S.f.)

Smarting pain in the eyelids in the evening. (6th day. 50th G.C.C.S.)

55 Pain and smarting in the upper lids as soon as he looks at anything steadily. (2nd day. 30th G.C.C.S.)

Burning in the eyes especially the upper lids. (1 hour after 30th G.C.C.S.)

Burning of the lids and some pain in the ball, worse in the

open air. (2^d day - 1 - S. J.)

Smarting pain (burn) in the eyes when writing with almost loss of vision. (1st day - 30th G.C.C.S.)

Smarting pain in the left corner of the left eye as from hot water, with severe pain in the top of the head. (1 day - 30th G.C.C.S.)

60 Darting pain in the eyes (balls) on coming to the out door light from a room. (2nd 1st & 2^d G.C.C.S.)

Aching pain in the eyes when writing. (1st day. 30th G.C.C.S.)

Pain in the eyes during the day and evening. (1st day. 2^d G.C.C.S.)

Fine dartings in the eyes when writing, with feeling when opening the lids, as if little strings were holding them together and were snapping. (1st day - 2^d G.C.C.S.)

Profuse lachrymation in the open air with water from the nose (in few hours from 30th G.C.C.S.)

65 Lachrymation and pain in the eyes in the cold air. (1st day. 31st G.C.C.S.)

EARS.

Aching pain in the left ear. (2^d & 8th day. 30th G.C.C.S.)

Aching pain in the left ear like slight humming. (4th day 30th G.C.C.S.)

Aching beating pain in the left ear in the evening. (3^d day. 30th G.C.C.S.)

Humming in the left ear. (7th day. 30th G.C.C.S.)

Spencer 25

76. Pimples on the back of the left ear near the top (pains). (2^d day 50th G.E.C.S.)
Nose.

Itching of the left side of the nose at the angle (or junction with the cheek) burns when rubbed or scratched. (1st day 30th G.E.C.S.)

Intense itching of the left side of the nose internally in the evening. (2^d day. 30th G.E.C.S.)

Nose feels dry and filled up with dry scales with itching especially of the left nostril. (1st day. 30th G.E.C.S.)

Nose feels as if obstructed with mucus. (Morning after 30th G.E.C.S.)

75 Thin discharge from the nose and occasional sneezing. (Comp. 1st day. 1st G.E.C.S.)

Putrid, sickish, smell before the nose. (1st day 50th G.E.C.S.)

A number of painless pimples on the nose. (2^d day. 30th G.E.C.S.)

Face.

Itching of the beard under the skin with burning when scratched. (2^d day 30th G.E.C.S. Comp.)

Peeling of the lips and corners which bleed easily. (50th G.E.C.S.)

Teeth.

80 Pain in the hollow tooth (first molar of the lower jaw left side) with swelling of the gums and great tenderness around it - aggravated.

by cold air; feels as if it would ulcerate. (Four hours after 30th L.C.C.S.)

Paroxysms of pain in the same hollow tooth. (30th L.C.C.S.)

Pain and pressure of the hollow tooth; feels as if too long. (30th 50th L.C.C.S.)

Mouth.

Frequent desire to swallow with accumulation of water in the mouth. (1st day 30th L.C.C.S.). Also 30th)

Dripping in the roof of the mouth as from a pin. (1/2 hour 31st L.C.C.S.)

85 Stinging pain in the mouth, extending through to the left ear. (1st day 30th L.C.C.S.)

Sore on the left side of the mouth opposite the stomach tooth (5th day - 50th L.C.C.S.).

Tongue coated white with cracks across the middle. (Morning after 30th L.C.C.S.).

Tongue covered with a thick white coat. (Morning after 50th L.C.C.S.)

Very thick white coating on the tongue with flat mucous taste. (31st L.C.C.S.)

Throat.

90 Uncomfortable feeling in the throat with pain on empty swallowing and gaping. (1st day, 1st L.C.C.S.).

Throat feels dry and sore in the morning; as if something dry had collected in it. (Morning after 30th L.C.C.S.).

Sensation as if something sticks in the throat causing him to hawk. which makes it feel sore. (1st day. 30th G.C.C.S.).

Throat dry and sore and full as if raw; soreness when hawking as if raw; dry when rising (in morning). (30th G.C.C.S.).

Throat filled with mucus in the morning. (2^d day. 2^d G.C.C.S.).

95 Heat rising in the throat as if from the stomach. (Soon after 30th G.C.C.S.).

Appetite & Taste.

Not much desire for food; diminished appetite. (2^d G.C.C.S. 8th)

No appetite. (30th G.C.C.S.).

Flat mucous taste in the mouth. (30th G.C.C.S.). 50th

Sour taste with nausea at night. (30th G.C.C.S.).

Gastric Symptoms.

100 Soon after dinner hiccup set in (2 $\frac{1}{2}$ P.M.) and continued uninterruptedly till 6 P.M.; renewed after supper (hours 1st G.C.C.S.).

Hiccup with shooting pain in the forehead. (Hours. 1st G.C.C.S.)

Belching of wind during stool. (In few hours. 2^d G.C.C.S.).

Much rising of wind from the stomach. (2^d day. 50th G.C.C.S.)

Rising of sour water from the stomach; (in short time after)

gulping up of sour bitter water. (Soon after 30th G.C.C.S.).

115 Flat taste in the mouth and rising of sour water which has an acid feeling in the throat. (Morning after 30th G.C.E.S.).

Rising of bitter water with pain in the stomach and afterwards dryness of the throat. (1st hour 30th G.C.E.S.).

Rising of bitter water in the mouth an hour after dinner. (30th G.C.E.S.)

Rising of hot bitter water in the afternoon. (2nd day. 30th G.C.E.S.).

Stomach.

Torrens in the pit of the stomach. (caused by hiccup) (1st day. 1st G.C.E.S.)

110 Pain in the stomach after eating, especially after dinner, with pain in the abdomen worse by pressure, with feeling of great uneasiness; had to move about as if could not keep still. (1st day. 30th G.C.E.S.)

Severe pain in the stomach as if from hunger, partially relieved by eating. (1st day. 30th G.C.E.S.).

Pain in the stomach. (1st hour. 30th G.C.E.S.).

Pain in the stomach came on half an hour after rising with headache. (Morning after 30th G.C.E.S.).

Pain in the stomach with colic in the abdomen and sensation as if diarrhoea would come on. (30th G.C.E.S.).

115 Sour stomach in the evening after supper with headache as if it would burst; had to lie down. (6th day. 30th G.C.E.S.).

Sensation of fulness and hardness in the stomach as if filled with wind. (3^d day. 38th G.C.C.S.). Comp. 35.

Pressure in the stomach as if from wind. (2^d day. 38th G.C.C.S.).

Feeling of languor and nausea at the stomach. (Comp. 39.

Feeling in the stomach as if undigested food were in it. (Comp. 32.

120 Nausea at the stomach with pain in the forehead. (2^d G.C.C.S.).

Hypochondria.

Feeling in the left side about the spleen as if it would drop down, worse when walking - disappears when sitting still. (3^d day 38th G.C.C.S.).

Abdomen.

Feeling as if diarrhoea would come on with rumbling in the bowels. (1st day 2^d G.C.C.S.).

Pain in the abdomen worse by pressure. Comp. 110.

Pain in the umbilical region worse from contracting the walls of the abdomen. (30th G.C.C.S.).

125 Pain as from fulness in the abdomen even after dinner. (4th day 38th G.C.C.S.).

Pain in the abdomen in the evening and at night. (30th G.C.C.S.).

Sound rumbling in the bowels. (3^d day. 38th G.C.C.S.).

Colic in the abdomen. Camp. 114.

Severe colicky pains in the abdomen (lower part) during stool. Camp. 138.

130 Slight cutting in the abdomen. Camp. 146.

145/30 [Cutting pain in the abdomen. ~~Before~~ before stool. Camp. 147.

Colic pain better after a watery stool. Camp. 143.

Severe colic in the lower part of the abdomen. (1st hour. 50th G.C.C.S.)

Feeling of goneness in the abdomen at the umbilicus. Camp. 186.

135 Strange but not unpleasant sensation in the bowels as after diarrhoea. (8th day. 2nd A.S.)

Yellow brown spots on the lower part of the abdomen about the genitals. (12th day. 50th G.C.C.S.)

Stool & Anus.

Stool twice a day (before only once). 1st day. 1st G.C.C.S.)

Large stool. soft. thin. (diarrhoeic) with much tenesmus and severe colicky pain in the lower part of the abdomen during stool as if the bowels would protrude, and aching pain in the sphincter ani. (3 P.M.). (Few hours 2nd G.C.C.S.)

Small dry hard lumpy stool. (2nd 50th G.C.C.S.)

140 Small hard stool after two days without a passage (30th G.C.C.S.)

Soft diarrhoeic stool with colic and tenesmus. (2nd day. 30th G.C.C.S.)

Ratny diarrhoea with tenesmus. (30th G.E.E.S.)

Morning at 4. colic pain better after a watery stool, having had no passage for two days. (30th G.E.E.S.)

Burning in the rectum during stool and continuing long afterwards. (30th G.E.E.S.)

145 Pain in the sphincter, and head, which continued an hour after stool. (31st G.E.E.S.)

In the evening 10 P.M. while walking home urgent desire for stool with slight cutting in the abdomen; desire worse when standing still; a profuse stool, watery, spouting; in an hour another stool. (5 hours. 1st A.S.)

Cutting pain in the abdomen before stool and pressing in the rectum. (3rd day. 30th G.E.E.S.)

Soft stool with stinging pain during and after passage for some time. (1st day. 30th G.E.E.S.)

Stool small and hard with sensation of scratching in the rectum. (2nd day. 30th G.E.E.S.)

150 Constant desire for stool. Comp. 39

Tenesmus after stool. (2nd G.E.E.S.)

After a few days the stool becomes quite hard and natural.

which has not been the case for 3 years. (10th day 1st A.S.).

Urine.

Passed a much smaller quantity of urine but often - every two hours - had to rise in the night to urinate - urine more yellow. (1st G.C.E.S.).

Frequent and small quantities of light colored urine. (2^d G.C.E.S.)

155 Burning in the urethra during micturition. (2^d day 30th G.C.E.S.).

Smarting in the urethra during micturition lasting but a short time after; urine deep red with flocculent red sediment after standing. (31st G.C.E.S.).

The sediment collects in little clots after two hours standing. Scanty urine which after standing has a greasy pellicle on it. (4th day, 5th G.C.E.S.).

Strong pungent smell of urine. Comp. 154.

160. Desire to urinate every 20 minutes, with discharge of much pale urine, continues for 5 days worse always in the morning (5th day, 1st A.S.).

Male Genital Organs.

Pollution waking him from sleep at 4 A.M. (2^d day, 1st G.C.E.S.).

Awake at 6 A.M. with lewd dreams and pollution, with pain in the end of the urethra. (8th hour, 30th G.C.E.S.).

Intestinal emissions with lewd dreamy. Comp. 17

Sleep disturbed; emissions without erections „(Few hours after 50th L.C.C.S.).

165 Sleep disturbed by lewd dreams and frequent (3 in a night) copious emissions with partial erections „(6th day. 50th L.C.C.S.).

Severe pain in the right testicle, continuing a few moments; better after passing urine „(3 hours. 1st S.f.).

Saryng & Chest.

Sweet taste of mucus with expectoration of thick white frothy mucus with lumps in it „(in morning). (30th L.C.C.S.). (50th)

Profuse expectoration in the morning of white mucus with little bubbles of air in it, worse in the open air „(50th L.C.C.S.).

Coughing with soreness of the throat and rawness when hawking „(6th day. 50th L.C.C.S.).

170 Occasional deep stitching in the lower part of the chest mostly on the left side on taking a deep inspiration „(2 day. 1st S.f.).

Hawking and spitting of mucus in the morning, first of lumps and then thinner „(3rd day. 1st S.f.).

Back.

Aching pain in the small of the back worse when sitting -

1st to 30th G.C.E.S.

After dinner (2^{1/2} P.M.) aching pain in the small of the back with aching pain in the knees and below. (2nd day, 1st G.C.E.S.).

Pain in the small of the back when sitting, relieved by rising and walking or lying down. (1st day, 30th G.C.E.S.).

175 Severe pain in the small of the back at 6 P.M. Comp. 42

At 10 P.M. severe pain in the small of the back, partially relieved by lying down, not by standing. (1st day, 30th G.C.E.S.).

Backache as if he could not straighten himself. (30th G.C.E.S.).

Pain between the shoulders, in the lumbar region and small of the back (2nd day, 30th G.C.E.S.).

Pain in the left groin and small of the back. (5th day, 30th G.C.E.S.).

180 An indefinite pain on either side of the dorsal spine similar to that felt in the chest when tis said the food has lodged. (2nd day, 1st S.f.).

Arms & Legs.

A small boil comes out on the right fore arm where he had had several three weeks previous. (1st S.f.).

Tired feeling in the legs. (1st day, 1st G.C.E.S.).

Trembling of the limbs especially the legs, aching when

sitting. (2^d day 2^d G.E.E.S.).

Great weariness of the limbs from walking. (31st G.E.E.S.).

185 Excessive weakness of the knees as if they would not support me. (30th G.E.E.S.).

Tenderness of body, especially the limbs and a feeling of goneness in the abdomen at the umbilicus. (4th day. 30th G.E.E.S.).

Bon aching all over especially the knees and lower extremities. Comp. 44.

Aching pain in the knees and below. Comp. 173.

Aching of the knees with itching of the skin on the external side. (30th G.E.E.S.).

190 Aching in both legs half way between the thighs and knees on the front side. (2^d day. 30th G.E.E.S.).

Tenderness of the knees after exercise. (30th & 31st G.E.E.S.).

Tenderness and weariness of the limbs. (1st 3^d).

The characteristic action seems to be on the left side from the present provings.